

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

1 Identification

- · Product Identifier
- · Trade Name: Hemaway Foam
- · Relevant identified uses of the substance or mixture and uses advised against:

Used for pre-cleaning instruments and keeping organic material from corroding surgical instruments.

- · Product Description: Cleaning Solution
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Instrument Specialists Inc.

32390 IH-10 West Boerne, TX 78006 800-537-1945

· Emergency telephone number: 800-537-1945

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements:
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS08

- · Signal word: Danger
- · Hazard-determining components of labeling:

Trade Secret Trade Secret Trade Secret

· Hazard statements:

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear eye protection / face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

4.7 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 1

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0

REACTIVITY 1 Physical Hazard = 1

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture: consisting of the following components.

· Dangerous Components:	
Trade Secret	2-12%
♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	
Trade Secret	≤2.5%
Trade Secret	≤2.5%
♦ Resp. Sens. 1, H334; ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	
Trade Secret	≤2.5%
♦ Resp. Sens. 1, H334	

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets. Trade secret made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

4 First-Aid Measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If symptoms persist, consult a doctor.

After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.

 (Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
Trade Secret	30 mg/m³
· PAC-2:	
Trade Secret	1,300 mg/m³
· PAC-3:	
Trade Secret	7,900 mg/m³

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Trade	Secret					
WEEL	WEEL Long-term value: 10 mg/m³					
Trade	Secret					
REL	Short-term value: 0.00006* mg/m³ *60-min					
TLV	Ceiling limit value: 0.00006 mg/m³ as 100% crystalline active pure enzyme					

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Blue-green
Odour: Mint

· *Odor threshold:* Not determined.

• **pH-value** @ **20** °**C** (**68** °**F**): 6.5-7.5

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: 100-105 °C (212-221 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Not determined.

Vapor pressure: Not determined.

• **Density** @ **20** °**C** (**68** °**F**): 1.05 g/cm³ (8.762 lbs/gal)

Relative density: Not determined.
Vapor density: <1 (Air=1)
Evaporation rate: <1 (Ether=1)

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents:1.6 %VOC content:1.6 %Solids content:0.4 %

• Other information: No further relevant information available.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: Evaporation
- Incompatible materials: Bleach (strong oxidizing agents)
- · Hazardous decomposition products: Nitrous Oxide and Ammonial vapors

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

LD/LC50 values that are relevant for classification:				
Trade Secret				
Oral	LD50	20,000 mg/kg (Rat)		
Dermal	LD50	20,800 mg/kg (Rabbit)		
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)		
	Intravenous	6,630 mg/kg (Mouse)		
		6,423 mg/kg (Rat)		
		6,500 mg/kg (Rabbit)		
Trade Sec	ret	<u>'</u>		
Oral	LD50	3,700 mg/kg (Rat)		
Trade Sec	ret			
Oral	LD50	>7,500 mg/kg (Rat)		

- · Primary irritant effect:
- On the skin: No irritating effect.
- · On the eye:

Strong irritant with the danger of severe eye injury.

Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories:

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Trade Secret

EC50 >10,000 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

* 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable. Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

· TSCA new (21st Century Act) (Substances not listed)

Trade Secret

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

Trade Secret

New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Right-to-Know List:

Trade Secret

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS05 GHS08

- · Signal word: Danger
- · Hazard-determining components of labeling:

Trade Secret Trade Secret Trade Secret



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/17/2018 Reviewed on 05/30/2023

Trade Name: Hemaway Foam

· Hazard statements:

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear eye protection / face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a poison center/doctor. P310

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u> 6 Other Information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 04/17/2018 / 3
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106